

ABSTRACT OF THE DISCLOSURE

Disclosed is an electrophotographic photoconductor including at least a photoconductive layer on an electroconductive substrate, which comprises at least a cross-linked surface layer formed by curing a tri- or more-functional radical polymerizable monomer without having a charge transporting structure and a mono-functional radical polymerizable compound having a charge transporting structure wherein the cross-linked surface layer has a surface roughness Rz of 1.3 μm or less.